### SUPPLY CHAIN SECURITY

THE XZ BACKDOOK

DAVID GSTIR + RICHARD WEINBERGER SIGMA STAR GMBH

### DAVID GSTIR

- Focus on cryptography, security protocols and Linux kernel
- Manages penguins at sigma star gmbh

### RICHARD WEINBERGER


- Focus on Linux kernel, low-level components, virtualization, security
- Co-founder of sigma star gmbh



### DISCLAIMER

- > THIS IS A SOMIN TALK
- > WE WON'T COVER EVERYTHING
- > FEEL FREE TO TALK TO US AFTERWARDS


# WHAT IS A SUBPLY SHAW?



### LESS OBVIOUS:

Everything else that transforms your source into the binary/artifact you ship like CI/CD pipeline, IDE, shell, OS, Firmware in HW components, etc.


# DO YOU KNOW YOU CHAIN.



# SUPPLY CHAIN THEEATS

### SUPPLY CHAIN THREATS

- Availability: Is there support? For how long?
- Control: You use foreign code
- > And ...




### ... IT CAN INTRODUCE SECURITY VULNERABILITIES

#### EXAMPLES:

- Debian OpenSSL fiasco
- log4j
- SolarWinds backdoor
- xz backdoor



## SO, DEPENDEN BAD



- Reinventing the wheel has never really paid off
- They save you time & money
- Their authors are often experts in their fields (e.g. crypto libraries, compilers, ...)

# HOW DO WE HINKE A SUPPLY CHAIN HORE SECURE TUEN,

### ...BY LEARNING FROM PAST MISTRES

### THE REBOOK

#### OVERVIEW + TIMELINE

- xz-utils (short xz) liblzma contained malicious code
- Solely maintained by Lasse Collin in his spare time
- > 2021: "Jia Tan" arrives and starts contributing
- > 2022: Various (likely fake) people start pressuring Lasse that development is slow
- Lasse pushes back but "Jia Tan" is suggested as co-maintainer
- "Jin Tan" becomes co-maintainer soon after stealthy, hostile project takeover achieved
- 2023-06: First ground work for backdoor submitted by (likely fake) contributor "Hans Jansen"



### TIMELINE (CONTD)

- > 2024-02-23: "Jia Tan" merges new binary test files which in reality contain backdoor code
- > 2024-02-24: "Jia Tan" builds and tags v5.6.0 and publishes xz-5.6.0.tar.gz
- Release tarball contains crafted build script
- > xz v5.6.0 lands in various (rolling release) distros like Debian unstable, openSUSE Tumbleweed, Fedora 40, but also macOS Homebrew
- ➤ Backdoor triggers some warnings which lead to (stealthy) fix and release v5.6.1
- 2024-03-28: Backdoor accidentally detected by Andres Freund because of slow SSH login







- Injects malicious code into sshd (OpenSSH) on all Debian (including Ubuntu and friends) and RPM based distros
- liblzma is an indirect dependency to sshd via libsystemd
- Backdoor executes system(), controlled via magic packet
- Command is encoded in SSH certificate sign key
- > You need the correct Ed448 private key signature to use the backdoor; disable switch via ENV variable
- Full feature set of backdoor is still unknown

### Past Magret

WHAT WENT WRONG AND HOW TO GET
BETTER?





#### REAL QUICK! SPOT THE BUG

```
--- a/CMakeLists.txt
+++ b/CMakeLists.txt
@@ -901,10 +901,29 @@ endif()
 # Sandboxing: Landlock
 if(NOT SANDBOX_FOUND AND ENABLE_SANDBOX MATCHES "^ON$|^landlock$")
     check include file(linux/landlock.h HAVE LINUX LANDLOCK H)
     # A compile check is done here because some systems have
     # linux/landlock.h, but do not have the syscalls defined
     # in order to actually use Linux Landlock.
     check_c_source_compiles("
         #include linux/landlock.h>
         #include <sys/syscall.h>
         #include <sys/prctl.h>
         void my_sandbox(void)
             (void)prctl(PR_SET_NO_NEW_PRIVS, 1, 0, 0, 0);
             (void)SYS_landlock_create_ruleset;
             (void)SYS_landlock_restrict_self;
             (void)LANDLOCK CREATE RULESET VERSION:
             return:
         int main(void) { return 0; }
     HAVE_LINUX_LANDLOCK)
     if(HAVE LINUX LANDLOCK H)
         set(SANDBOX_COMPILE_DEFINITION "HAVE_LINUX_LANDLOCK_H")
     if(HAVE LINUX LANDLOCK)
         set(SANDBOX COMPILE DEFINITION "HAVE LINUX LANDLOCK")
         set(SANDBOX FOUND ON)
         # Of our three sandbox methods, only Landlock is incompatible
```



#### REAL QUICK! SPOT THE BUG

```
# linux/landlock.h, bu
# in order to actually
check_c_source_compile
    #include <linux/la
    #include <sys/sys(
    #include <sys/prc1
    void my_sandbox(vo
         v. 'd)prctl(PF
         (void) SYS_land
         (void)SYS_land
         (void)LANDLOCK
```








- Andres Freund was faster ;-)
- They're not used to such attacks
- Let's hope RHEL or SLES would have
- > They got a free training on supply chain attacks








#### LEARNINGS FOR SOFTWARE ENGINEERS

- At some point you need to trust someone, choose them with care
- Keep your dependency tree in shape (size, known, updated, reviewed)
- Complex build systems should be simplified
- Auxiliary code like tests can harm you
- Non-reproducible binaries in repo should be avoided whenever possible
- Continuously reassess your dependencies: a "good" one might turn "bad" in the future
- Recurring audits of code and dependencies should be normal







- > There are no silver bullets
- > xz is an extreme example
- Know your supply chain
- Review code
- This is not about Open vs. Closed Source;
- Investigate unexpected behaviour
- > A healthy community is important
- Together we're strong!



QUESTIONS? {DAVID, RICHARD}@SIGMA-STAR.AT

